

TÜV NORD CERT GmbH
herewith declares that

Risen Energy Co., Ltd.
Tashan Industry Zone, Meilin Town, Ninghai County
Ningbo City, Zhejiang Province, 315609
P.R. China

is authorized to provide the product mentioned below with the mark as illustrated:



Description of product (details see Annex 2):

PV Modules with 6" Mono-crystalline Silicon Solar Cells

PV Modules with 6" Poly-crystalline Silicon Solar Cells

Tested according to: IEC 62716: 2013
Remark: Max system voltage: 1500V
Registered No.: 44 780 18 406749 - 058
Manufacturer: see Annex 1
Test Report No.: 492010677.003
File No.: SHV07034/17-01

Valid until: 2021-07-26



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Essen, 2018-03-14

Please also pay attention to the information stated overleaf.

Anlage 1 zum Zertifikat Nr.: / Annex 1 to Certificate No.: 44 780 18 406749 - 058

Seite / Page 1 von / of 1

Aktenzeichen: / File reference: SHV07034/17-01

2018-03-14

Manufacturer:

Manufacturer : **Risen Energy Co., Ltd.**
Xingke Road Meiqiao Industrial park, Ninghai County
Ningbo City, Zhejiang Province, 315609, P.R. China

Factory inspection report no.: 862010150.006

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.

A handwritten signature in blue ink, appearing to read 'Rupen K1'.

TÜV NORD CERT GmbH
Certification Body
Consumer Products

Description of product(s):

Module types:	PV Modules with 6" Mono-crystalline Silicon Solar Cells 72 cells: RSM72-6-xxxM (xxx=285 - 350, in increments of 5) 72 cells: SYPxxxM (xxx=295 - 350, in increments of 5) 60 cells: RSM60-6-xxxM (xxx=245 - 290, in increments of 5) 60 cells: SYPxxxM (xxx=245 - 290, in increments of 5) 54 cells: RSM54-6-xxxM (xxx=220 - 260, in increments of 5)
Maximum system voltage:	1500V
Fuse rating:	20A
Application class:	Class A
Electrical protection class:	Class II

Module types:	PV Modules with 6" Poly-crystalline Silicon Solar Cells 72 cells: RSM144-6-xxxP (xxx=330 - 340 in increments of 5) 72 cells: RSM72-6-xxxP (xxx=280 - 345 in increments of 5) 60 cells: RSM120-6-xxxP (xxx=275 - 285, in increments of 5) 60 cells: RSM60-6-xxxP (xxx=240 - 285, in increments of 5) 54 cells: RSM54-6-xxxP (xxx=220 - 255, in increments of 5)
Maximum system voltage:	1500V
Fuse rating:	20A
Application class:	Class A
Electrical protection class:	Class II

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products