

# **Safety Data Sheet**

Issue Date: 11-Jul-2016 Revision Date: 15-Mar-2018 Version 1

## 1. IDENTIFICATION

Product Identifier

Product Name Slide On/Cycle Mold Cleaner

Other means of identification

**SDS #** 44212C-DME

Product Code 44212C-DME Synonyms Natural Citrus Oil Citrus Mold Cleaner

UN/ID No UN1950

Other Information Formula: 52352

Recommended use of the chemical and restrictions on use

Recommended Use Industrial mold cleaner

Uses Advised Against
Use only under manufacturer's instructions

Details of the supplier of the safety data sheet

Initial Supplier Address

DME Moulding Supplies
6210 Northwest Drive
Mississauga, Ontario L4V 1J6

905-677-6370

**Manufacturer Address** 

Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090

## **Emergency Telephone Number**

Initial supplier phone number Emergency Telephone (24 hr) Please enter Initial Suppliers Phone Number here INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

Appearance Clear liquid in an aerosol Physical state Aerosol. Odour Sweet

#### Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitisation	Category 1
Germ cell mutagenicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable Aerosols	Category 2
Gases under pressure	Compressed Gas

#### **Label Elements**

## Signal word

EN / HGHS Page 1/9

#### Danger

#### **Hazard statements**

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

May cause respiratory irritation. May cause drowsiness or dizziness

May cause genetic defects

May be fatal if swallowed and enters airways

Flammable Aerosol

Contains gas under pressure; may explode if heated



#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapours/spray

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Avoid release to the environment

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Collect spillage

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 ℃/122 ℉

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Other Information

Very toxic to aquatic life with long lasting effects

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### <u>Substance</u>

Synonyms Natural Citrus Oil Citrus Mold Cleaner.

Chemical Name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
D-Limonene	5989-27-5	35	-	-
Naphtha (petroleum), hydrotreated heavy	64742-48-9	27	-	-
Isopropyl Alcohol	67-63-0	27	-	-
Propane	68476-86-8	11	-	-

## 4. FIRST AID MEASURES

#### **First Aid Measures**

**General advice** If exposed or concerned: Get medical advice/attention.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If eye irritation persists: Get medical

advice/attention.

**Skin contact** Wash with soap and water. Remove contaminated clothing and shoes. Wash contaminated

clothing before reuse. Call a physician if you feel unwell. If skin irritation persists, call a

Revision Date: 15-Mar-2018

doctor. Apply hand cream.

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing.

**Ingestion** Do NOT induce vomiting. Call a doctor immediately.

#### Most important symptoms and effects

**Symptoms** In high concentrations, vapors and aerosol mists have a narcotic effect and may cause

headache, fatigue, dizziness and nausea. Skin contact can lead to drying, defatting, itching,

stinging and irritation. Causes eye irritation.

## Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Extremely flammable. Aerosol flame projection test: >18" extension at 70 F. Aerosols may rupture violently at temperatures above 120 F.

Hazardous Combustion Products Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

EN / HGHS Page 3/9

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Revision Date: 15-Mar-2018

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

## Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing vapours or mists. Do not allow contaminated clothing out of the workplace. Use only in well-ventilated areas. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray near open flame. Pressurized container: Do not pierce or burn, even after use. Do not drop containers.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Do not store at temperatures above 120 °F. Protect from direct sunlight. Keep away from heat, sparks and flame.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Limits** 

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Isopropyl Alcohol 67-63-0	TWA: 200 ppm TWA: 492 mg/m³ STEL: 400 ppm STEL: 984 mg/m³	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 985 mg/m³ STEL: 500 ppm STEL: 1230 mg/m³

## **Appropriate engineering controls**

**Engineering controls** Apply technical measures to comply with the occupational exposure limits. Ensure

adequate ventilation, especially in confined areas.

EN / HGHS Page 4/9

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Safety glasses should always be worn in an industrial operation.

**Hand protection** Protective gloves are not required, but recommended.

**Skin and body protection**No special protective equipment required.

Respiratory protection No protection is ordinarily required under normal conditions of use and with adequate

ventilation.

**General hygiene considerations** Wash contaminated clothing before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Aerosol

**Appearance** Clear liquid in an aerosol

ColourClearOdourSweet

Odour Threshold Not determined

Property Values Remarks • Method

PH Not determined
Melting Point/Freezing Point -96.7 °C / -142 °F
Boiling Point/Boiling Range 177.8 °C / 352 °F
Flash Point Not determined

**Evaporation Rate** Slow

Flammability (Solid, Gas) Not determined

Flammability Limits in Air

Upper Flammability Limits 10
Lower Flammability Limit 1

Vapour Pressure 1 mmHg @ 20 C

Vapour Density 4.7 Relative Density 0.841

Water Solubility Slightly soluble Solubility in other solvents Not determined Partition Coefficient Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dvnamic Viscosity** Not determined **Explosive properties** Not determined. **Oxidising properties** Not determined.

Other Information

Softening Point No information available
Molecular weight No information available

VOC Content (%) 100%

DensityNo information availableBulk DensityNo information available

# 10. STABILITY AND REACTIVITY

**Reactivity** Not reactive under normal conditions.

Chemical Stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

EN / HGHS Page 5/9

Conditions to Avoid Do not puncture or incinerate cans. Avoid temperatures above 120 °F.

**Incompatible Materials**None known based on information supplied.

Hazardous Decomposition Products Carbon monoxide. Carbon dioxide (CO2).

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Eye contact** Causes severe eye irritation.

**Skin contact** May be harmful in contact with skin. Causes skin irritation. May cause an allergic skin

reaction.

**Inhalation** Avoid breathing vapours or mists.

**Ingestion** Do not ingest.

## Information on physical, chemical and toxicological effects

**Symptoms** In high concentrations, vapors and aerosol mists have a narcotic effect and may cause

headache, fatique, dizziness and nausea. Frequent or prolonged contact may defat and dry

Revision Date: 15-Mar-2018

the skin, leading to discomfort and dermatitis. Causes eye irritation.

#### **Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document.

 ATEmix (oral)
 3,599.00

 ATEmix (dermal)
 4,508.00

 ATEmix (inhalation-dust/mist)
 268.90

Unknown acute toxicity No information available

## **Component Information**

Chemical Name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
D-Limonene 5989-27-5	= 4400 mg/kg ( Rat )	> 5 g/kg (Rabbit)	-
Naphtha (petroleum), hydrotreated heavy 64742-48-9	> 5000 mg/kg ( Rat )	> 3160 mg/kg (Rabbit)	-
Isopropyl Alcohol 67-63-0	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Germ cell mutagenicity** May cause genetic defects.

**Carcinogenicity** Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
D-Limonene 5989-27-5	-	Group 3		X
Isopropyl Alcohol 67-63-0	-	Group 3		X

EN / HGHS Page 6/9

\_\_\_\_\_

Revision Date: 15-Mar-2018

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labour)

X - Present

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

**Aspiration hazard** May be fatal if swallowed and enters airways.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
D-Limonene 5989-27-5	-	0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50		-
Naphtha (petroleum), hydrotreated heavy 64742-48-9	-	2200: 96 h Pimephales promelas mg/L LC50		2.6: 96 h Chaetogammarus marinus mg/L LC50
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	140000: 96 h Lepomis macrochirus µg/L LC50 9640: 96 h Pimephales promelas mg/L LC50 flow- through 11130: 96 h Pimephales promelas mg/L LC50 static		13299: 48 h Daphnia magna mg/L EC50

Persistence/Degradability No information available.

**Bioaccumulation** No information available.

Mobility .

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05
Propane 68476-86-8	2.8

Other Adverse Effects No information available.

## 13. DISPOSAL CONSIDERATIONS

## **Waste Treatment Methods**

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty fully, including gas pressure. Do not puncture or incinerate cans. Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of in accordance with federal, state and local regulations.

# 14. TRANSPORT INFORMATION

Note Based on package size, product may be eligible for limited quantity exception

EN / HGHS Page 7/9

**TDG** 

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

<u>DOT</u>

UN/ID No UN1950 Hazard Class 2.1

IATA

UN/ID No UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

**IMDG** 

UN/ID No UN1950 Hazard Class 2.1

Marine Pollutant This material may meet the definition of a marine pollutant

## 15. REGULATORY INFORMATION

## **International Regulations**

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

**Export Notification requirements** Not applicable

## International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
D-Limonene	Χ	X	X	Present	X	Present	X	X
Naphtha (petroleum), hydrotreated heavy	Χ	X	X		Х	Present	Х	Х
Isopropyl Alcohol	Х	Х	Х	Present	Х	Present	X	X
Propane	X	Х	X		Χ	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

EN / HGHS Page 8/9

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA **Health Hazards Flammability Special Hazards** Instability Not determined Not determined Not determined Not determined **Health Hazards Flammability Physical hazards Personal Protection HMIS** В

3

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL (Short Term Exposure Limit) STEL Ceiling

Maximum limit value Skin designation

**Issue Date:** 11-Jul-2016 **Revision Date:** 15-Mar-2018

**Revision Note:** No information available.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

EN / HGHS Page 9/9