

# MSDS Document

## Product Dynatex® 49462 Green Boltlocker - High Strength

### 1. Chemical Product and Company Identification

**Trade Name of this Product** Dynatex® 49462 Green Boltlocker - High Strength

**MSDS ID** DYN49462

**Manufacturer**

Dynatex Inc.  
350 Ring Road  
Elizabethtown, KY 42701


**Phone Number**

(270) 769-3385

**Emergency Phone**

CHEMTREC (800) 424-9300

**Revision Date** 8/4/2008



Health:	1
Fire:	1
Reactivity:	1
Specific	

### 2. Composition and Information on Ingredients

Ingredient	CAS Number	Weight %	ACGIH TLV	PEL	STEL
Saccharin	81-07-2	1% - 3%			
Cumene Hydroperoxide	80-15-9	1% - 3%	1 ppm Skin	None	

### 3. Hazard Identification

**Primary Routes of Entry**

Eye contact, skin contact.

### 4. First Aid Information

**Ingestion**

Do not induce vomiting. Keep calm. Obtain medical attention.

**Eye Contact**

Flush with warm water for several minutes. Obtain medical attention.

### 5. Fire Fighting Measures

**Flash Point** > 200F

**FP Method** TCC

**Extinguishing Media**

Carbon Dioxide, Dry Chemical, Foam

**Special Fire Fighting Procedures**

None

**Unusual Fire or Explosion Hazards**

None known

## 6. Accidental Release Measures

**Steps to be taken in case of spill or release**

Observe all personal protection equipment recommendations. Soak up with inert absorbent. Store in a partly filled, closed container until disposal. Prevent product from entering drains. Local, state and federal regulations may apply to releases and disposal of this material, as well as those materials and items employed in cleanup of releases.

## 7. Handling and Storage

## 8. Exposure Controls and Personal Protection

**Eye Protection**

Safety goggles or glasses with side shields are recommended.

**Skin Protection**

Rubber, polyethylene, or neoprene gloves.

## 9. Physical and Chemical Properties

<b>Physical State</b>	Liquid
<b>Specific Gravity</b>	1.1
<b>Color/Appearance</b>	Green
<b>Odor</b>	Mild
<b>Boiling/Cond. Point</b>	> 300°F
<b>Solubility</b>	Negligible in water
<b>VOC %</b>	12.6% 135 g/L
<b>Vapor Density</b>	Approx. 3 (Air=1)
<b>Vapor Pressure</b>	< 5mm Hg @ 200°F

**Note**

The above information is not intended for use in preparing product specifications. Contact Accumetric LLC before writing specifications.

## 10. Stability and Reactivity

**Chemical Stability**

Stable

**Conditions to Avoid**

None known

**Hazardous Polymerization**

Will not occur

**11. Toxicological Information**

**Component Toxicology Information**

No known applicable information.

**Special Hazard Information on Components**

No known applicable information.

**12. Ecological Information**

**Environmental Fate and Distribution**

Complete information is not yet available.

**Environmental Effects**

Complete information is not yet available.

**Fate and Effects in Waste Water Treatment Plants**

Complete information is not yet available.

**13. Disposal Considerations**

**Waste Disposal Method**

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

**14. Transportation Information**

**DOT Road Shipment Information**

Not subject to DOT.

**Ocean Shipment (IMDG)**

Not subject to IMDG code.

**Air Shipment (IATA)**

Not subject to IATA regulations.

## 15. Regulatory Information

The contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### **TSCA Status**

All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

### **SARA Title III Section 302 Extremely Hazardous Substances**

None

### **SARA Title III Section 304 CERCLA Hazardous Substances**

None

### **SARA Title III Section 312 Hazard Class**

Acute: Yes

Chronic: No

Fire: No

Pressure: No

Reactive: No

### **SARA Title III Section 313 Toxic Chemicals**

Cumene Hydroperoxide (80-15-9)

### **California Proposition 65**

This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm:

Saccharin. Proper usage necessitates no Proposition 65 warning.

### **New Jersey**

Cumene hydroperoxide (80-15-9)

Saccharin (81-07-2)

### **Pennsylvania**

Cumene hydroperoxide (80-15-9)

Saccharin (81-07-2)

## 16. Other Information

### **Disclaimer**

The data contained herein is based upon information that Accumetric LLC believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements to suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.

