
JUNIPER°


THIN RETRO FLOAT - Junction Box-Mounted Remote Installation Guide



WARNING


A LICENSED ELECTRICIAN SHOULD PERFORM INSTALLATION. DISCONNECT MAIN POWER AT THE SOURCE PRIOR TO INSTALLATION.

INSTRUCTIONS MEANT FOR A REMOTE CLASS 2 DRIVER.




<PARA >

Pass the wires coming out of the connector through the cover plate, coupler and connecting plate as shown in figure 1A. Connect the wires coming out of the connector to LED driver's output wires using provided blue/grey wire nuts as shown in B.



- B. C. D.
- Place the connected wires and LED driver inside junction box.
 Install connecting plate on junction box using provided #8-32 Phillips-head screws.
 Install coupler on connecting plate using provided #6-32 Phillips-head screws.
 Install cover plate on connecting plate using provided #8-32-1/2" flat head screws. Ensure that the screws are horizontally in line. If required, loosen the #8-32 Phillips-head screws on the connecting plate to adjust its orientation.


WWW.JUNIPER-DESIGN.COM INFO@JUNIPER-DESIGN.COM +1 347 799-2915 157 WATER STREET SOUTHINGTON, CT 06489



Install connector on the coupler using provided #4-40 set screw as shown. Make sure that the set screw fits inside the hole in the coupler. Connector can be installed in horizontal or vertical configuration as shown. If the connector is not aligned correctly, remove the connector and cover plate. Loosen the #8-32 Phillips-head screws to adjust the orientation of connecting plate.

STEP 2: INSTALLING LIGHT TUBE

The fixture is designed with an innovative magnetic connection. Simply insert the light tubes into the connectors for electrical contact to be made.



- Insert light tube into the connector. Rotate the light tube to adjust orientation. A. B. C.
- Use provided #3-48 set screw to level and lock the light tubes in place.

CARE INSTRUCTIONS

Brass will patina over time like other natural metals and regular care is required in order to retain the quality finish of your fixture for years to come.

Gently wipe with a damp cloth to remove dirt, dust, and fingerprints.

Do not use any chemical cleaning solution.

Use indoors only.